

# Milk Formula™ Non-Med

## Product Description

Milk Formula Non-Med is a non-medicated, all-milk replacer for calves. It is mildly acidified to help reduce *E. coli* scours. Milk Formula Non-Med contains a high level of Vitamin E (125 IU/lb) which improves the immune response in calves and provides a sparing effect on selenium. With healthy calves, it can be fed from 4 days of age to weaning.

## Features and *Benefits*

Protein is derived from all-milk product **to maximize growth.**

High level of Vitamin E **supported by Kansas State Research on improved immune response in calves.**

Non-medicated formula **offers no drug withdrawal and economical all-milk product.**

Mild acidification is a **natural approach to reducing *E. coli* scours.**

KwikMix™ easy mixing crystals **ensure fast, easy mixing for maximum utilization of nutrients.**

Contains Organic Selenium **to help improve calf immunity, to prevent white muscle disease, has antioxidant properties and helps promote thyroid metabolism.**

## Feeding Directions

Birth - Feed 3-4 quarts of colostrum immediately after birth (need to provide 100 g of IgG). Feed 2-4 additional quarts within 12 hours of birth and feed 2-4 more quarts at 24 hours of age. If necessary, use an esophageal feeder. Don't let the calf determine intake.

2 to 14 Days - Feed Milk Formula Non-Med (specifically formulated for starting calves) until calves are 14 days old. Feed 1½ (small breeds) to 2 (large breeds) quarts of mixed Milk Formula Non-Med twice a day. Provide clean fresh water at all times. Begin offering Active Starter 18 DQ45-Texturized when calves are 3 days old.

After 14 Days - Continue to feed Milk Formula Non-Med. Feed twice a day until 6 weeks of age or when calves have consumed 2 pounds of starter per day for 3 consecutive days, whichever comes last.



## Milk Formula™ NON-MEDICATED

A milk replacer for dairy or beef replacement calves.

### GUARANTEED ANALYSIS

Crude Protein, min.....	20.0%
Crude Fat, min.....	20.0%
Crude Fiber, max.....	0.15%
Calcium (Ca), min.....	0.75%
Calcium (Ca), max.....	1.25%
Phosphorus (P), min.....	0.7%
Vitamin A, min.....	30,000 IU/lb
Vitamin D <sub>3</sub> , min.....	10,000 IU/lb
Vitamin E, min.....	150 IU/lb

### INGREDIENTS

Dried Whey, Dried Whey Protein Concentrate, Animal and Vegetable Fat (Preserved with BHA and BHT), Dried Whey Product, Dried Skimmed Milk, Lecithin, Dried Milk Protein, Dicalcium Phosphate, Calcium Carbonate, DL-Methionine, L-Lysine, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, Ascorbic Acid, Vitamin B12 Supplement, Folic Acid, Choline Chloride, Riboflavin Supplement, Niacin Supplement, Calcium Panthothenate, Thiamine Mononitrate, Pyridoxine Hydrochloride, Ferrous Sulfate, Copper Sulfate, Cobalt Sulfate, Zinc Sulfate, Manganese Sulfate, Magnesium Oxide, Ethylenediamine Dihydroiodide, Mono and Diglycerides of Vegetable Oil, Sodium Silico Aluminate, Selenium Yeast, Artificial Flavor.

6

## **Mixing Directions**

Mix 1 measuring cup ( $\frac{1}{2}$  pound) of Milk Formula Non-Med in 2 quarts of warm (110°F) water. Add powder to water and mix vigorously with a whisk. Use of cooler water requires greater mixing action and increases the possibility of the powder settling out.

**Cold Weather Feeding:** Sprinkle 10 oz (by weight) of Milk Formula Non-Med in a bucket containing 2 quarts of warm water (110°F).